



FERTILIZER CANADA

FERTILISANTS CANADA

IMPLEMENTATION GUIDE

Agricultural Ammonium Nitrate Code of Practice

**MARCH 2014
REVISED APRIL 2016**

**Where
Stewardship
Grows**

AGRICULTURAL AMMONIUM NITRATE CODE OF PRACTICE IMPLEMENTATION GUIDE

GENERAL COMMENTS

This guide is intended to provide assistance in complying with the Agricultural Ammonium Nitrate Code of Practice by offering additional details and resources. Applicable regulations, codes and acts have been referenced for easy access.

The Appendices provide templates of protocols that can be used by each facility when preparing their documents for the auditing process.

Fertilizer Canada created the Agricultural Ammonium Nitrate Code of Practice (the AN Code or Code) to provide uniform safety and security practices for the handling and storage of ammonium nitrate used in Canada. This Code was drafted by fertilizer manufacturers, distributors and agri-retailers, with input from relevant government agencies.

The intention of the AN Code is to assist shippers, sellers, handlers, customers and end-users of ammonium nitrate to become aware of and to assist in their compliance with the regulatory environment for ammonium nitrate. This includes the *Explosives Regulations* of the *Explosives Act*, the *Transportation of Dangerous Goods Act and Regulations*, the *Ammonium Nitrate Storage Facilities Regulations* under the *Canada Transportation Act*, and the *Environmental Emergency Regulations* of the *Canadian Environmental Protection Act*.

However, the AN Code is not designed to be a complete compilation of all relevant regulations. The AN Code refers to certain regulations where they have been identified as a suitable means for managing an identified risk. The owner/operator of each ammonium nitrate operation is ultimately responsible for compliance with all applicable regulatory requirements.

TABLE OF CONTENTS

SECTION A – INBOUND SHIPMENTS	5
A1 Safety and Security of Inbound Ammonium Nitrate Cargo	5
A1.1 Shipments by Marine	5
A1.2 Safety and Security of Ammonium Nitrate Cargo Arriving by Rail/Roads.....	12
A2 Providing Transport From Source via Rail/Truck.....	14
A3 Access to Product During Shipment.....	15
A4 Loss of Tampering of Product During Shipment.....	16
A5 Product Spills During Transport and Unloading.....	17
A6 Delivery of Ammonium Nitrate.....	18
SECTION B – STORAGE OF AMMONIUM NITRATE	19
B1 Product Storage	19
B1.1 Storage Security	20
B1.2 Storage Safety	22
B1.2.1 Physical Storage Facility Requirements	22
B1.2.2 Storage and Housekeeping Requirements	23
B2 Emergency Response Plan	24
B3 Access by On-site Personnel	26
B4 Loss of Product During Storage	27
SECTION C – OUTBOUND SHIPMENTS/PRODUCT SALES.....	28
C1 Security Around Individuals or Company Responsible for Providing Transportation.....	28
C1.1 Transportation Company Security.....	28
C1.2 Delivery Receipt Acknowledgement.....	29
C2 Access to Product During Shipment.....	30
C3 Product Spills During Transport and Loading	32
C4 Validation of Customers	33
C5 Traceability of Sales	35
C6 Criteria Specific to End-users	36
SECTION D – REGULATORY REPORTING.....	37
D1 Annual Inventory Reporting	37
SECTION E – TRAINING	38
E1 E-LEARNING	38
E2 Transportation of Dangerous Goods Training	38
E3 WHMIS/(M)SDS Training	38
SECTION F – INSURANCE	39
F1 Insurance requirements.....	39
F2 environmental impairment liability (eil) insurance	40

F3	deductible limits greater than \$25,000.....	40
F4	ALTERNATIVE INSURANCE ARRANGEMENTS.....	40
SUSPICIOUS INCIDENT REPORTING (SIR) SYSTEM		45

SECTION A – INBOUND SHIPMENTS

A1 SAFETY AND SECURITY OF INBOUND AMMONIUM NITRATE CARGO

SPECIFIC REQUIREMENTS:

The security of inbound shipments of ammonium nitrate is critical due to the typical size of the shipment and the potential security risks through the receiving process. In order to minimize these risks, the applicable sections of the following acts and regulations must be reviewed to ensure compliance.

A1.1 SHIPMENTS BY MARINE

International Maritime Dangerous Goods Code

The International Maritime Organization (IMO) administers the International Maritime Dangerous Goods (IMDG) Code. The IMO adopted the IMDG as a mandatory regulation for all shipments as of January 1, 2004. Shipments of ammonium nitrate must conform to the applicable sections of the code. The major sections of the IMDG are:

Volume 1:

- General Provisions, Definitions and Training
- Classification
- Packing and Tank Provisions
- Consignment Procedures
- Construction and testing of packaging, IBC's, large packaging, portable tanks and road tank vehicles.
- Transport Operations

Volume 2:

- Limited Quantity Exemptions
- Index of Dangerous Goods Classifications
- Appendices

Supplement:

- EMS Guide
- Medical First Aid Guide
- Reporting Procedures
- Packing Cargo Transport Units
- Safe Use of Pesticides

- INF Code

The *International Maritime Dangerous Goods Code* can be obtained at the following link:

<http://www.imo.org/en/Publications/IMDGCode/Pages/Default.aspx>

Canada Shipping Act – 2001

The objectives of this Act are to:

- a. Protect the health and well-being of individuals, including the crews of vessels, who participate in marine transportation and commerce;
- b. Promote safety in marine transportation and recreational boating;
- c. Protect the marine environment from damage due to navigation and shipping activities;
- d. Develop a regulatory scheme that encourages viable, effective and economical marine transportation and commerce;
- e. Promote an efficient marine transportation system;
- f. Develop a regulatory scheme that encourages the viable, effective and economical use of Canadian waters by recreational boaters;
- g. Ensure that Canada can meet its international obligations under bilateral and multilateral agreements with respect to navigation and shipping;
- h. Encourage the harmonization of marine practices; and
- i. Establish an effective inspection and enforcement program.

The *Canada Shipping Act 2001* can be obtained at the following web address:

<http://laws-lois.justice.gc.ca/eng/acts/C-10.15/>

Marine Transportation Security Act and Regulations

The *Marine Transportation Security Act* and *Regulations* are administered by Transport Canada and applies to all shipments from Canadian ports.

This Act applies in respect of:

- Vessels and marine facilities in Canada;
- Canadian ships outside Canada; and

- Marine installations and structures,

The *Marine Transportation Security Act* can be found at the following web address: <http://laws-lois.justice.gc.ca/eng/acts/M-0.8/>

Under the authority of Section 5 of the *Marine Transportation Security Act*, the *Marine Transportation Security Regulations* (MTSR) came into force on July 1, 2004.

The regulations set out operator and personnel roles and responsibilities for developing security plans and putting them into action; provides a way to conduct security assessments, to establish adequate security protocols, and to properly document and report; and provides Transport Canada with a means of overseeing compliance of the marine transportation security system; security system; and, addresses Canada's obligations to implement the [*International Ship and Port Facility Security Code*](#) and align our regulatory approach with that of our major trading partners.

The Regulations take a risk-based approach to enhancing the security of the Canadian marine transportation system by ensuring that marine facility and vessel security plans address risks identified within their security assessments. The risk approach may be different, depending on issues such as the size of the facility, volume or type of traffic or geographic location.

The MTSR apply to any vessel in Canada, and to any Canadian vessels operating outside of Canada on a voyage between a port in one country and a port in another country, that meet the following criteria:

- Is more than 100 tons gross tonnage, other than a towing vessel;
- Carries more than 12 passengers; or
- Is a towing vessel towing a barge astern or alongside or pushing ahead, **if** the barge is carrying certain **dangerous** cargoes.

The MTSR also applies to:

- Canadian and foreign flagged vessels (Part 2);
- Marine facilities and port authorities (Part 3); and,
- Marine facilities that receive vessels described in Part 2.

The MTSR consists of the following sections:

Part 1 – General

Part 2 - Vessels

- Interpretation
- Company/Vessel Security Officer
- Security Drills and Exercises
- Vessel Security Assessment
- Vessel Security Plan
- Security Procedures for Access Control
- Security Procedures for Restricted Areas
- Security Procedures for Handling Cargo
- Security Procedures for delivery of Ships' Stores and Bunkers
- Security Procedures for Monitoring

Part 3 – Marine Facilities

- Marine Facility Security Officer
- Security Drills and Exercises
- Marine Facility Security Assessment
- Marine Facility Security Plan
- Security Procedures for Access Control
- Security Procedures for Restricted Areas
- Security Procedures for Handling Cargo
- Security Procedures for Delivery of Ships Stores and Bunkers
- Security Procedures for Monitoring
- Occasional-Use Marine Facilities
- Occasional-Use Marine Facilities Security Officer
- Ports
- Port Security Plan
- Restricted Areas
- Restricted Area Passes or Keys

Part 4 – [RESERVED] Repeal and Coming into Force

- Repeal
- Coming Into Force

Amendments to the *Marine Transportation Security Regulations* were proposed on April 27, 2013 as published in the Canada Gazette Part 1:

<http://canadagazette.gc.ca/rp-pr/p1/2013/2013-04-27/html/reg9-eng.html>

The *Marine Transportation Security Regulations* can be obtained at the following web address: <http://laws-lois.justice.gc.ca/eng/regulations/SOR-2004-144/>

Canada Marine Act

In recognition of the significance of marine transportation to Canada and its contribution to the Canadian economy, the purpose of this Act is to:

- a. Implement marine policies that provide Canada with the marine infrastructure that it needs and that offer effective support for the achievement of national, regional and local, social and economic objectives and will promote and safeguard Canada's competitiveness and trade objectives;
 - a.1 Promote the success of ports for the purpose of contributing to the competitiveness, growth and prosperity of the Canadian economy;
- b. Base the marine infrastructure and services on international practices and approaches that are consistent with those of Canada's major trading partners in order to foster harmonization of standards among jurisdictions;
- c. Ensure that marine transportation services are organized to satisfy the needs of users and are available at a reasonable cost to the users;
- d. Provide for a high level of safety and environmental protection;
- e. Provide a high degree of autonomy for local or regional management of components of the system of services and facilities and be responsive to local needs and priorities;
- f. Manage the marine infrastructure and services in a commercial manner that encourages, and takes into account, input from users and the community in which a port or harbour is located;
- g. Provide for the disposition, by transfer or otherwise, of certain ports and port facilities; and
- h. Promote coordination and integration of marine activities with surface and air transportation systems.

The *Canada Marine Act* can be found at the following web address: <http://laws-lois.justice.gc.ca/eng/acts/c-6.7/page-2.html#docCont>

Port Authorities Operations Regulations

(Under the *Canada Marine Act*)

The *Canada Marine Act* gives Canadian port authorities the general duty to take appropriate measures for the maintenance of order and the safety of persons and property at their ports, and powers to control ship traffic for the purposes of promoting safe and efficient navigation and environmental protection. The *Port Authorities Operations Regulations* (the Regulations) provide a framework within which these duties and powers are to be carried out. In particular, they set up a scheme that enables the port authorities to authorize certain activities in respect of the navigable waters and the works and activities on properties managed, held, or occupied by the port.

The *Port Authorities Operations Regulations* can be obtained at the following web address: <http://laws-lois.justice.gc.ca/eng/regulations/SOR-2000-55/>

Practices and Procedures for Public Ports

(Under the *Canada Marine Act*)

These practices and procedures have been developed for the purpose of promoting safe and efficient navigation and environmental protection within the limits of public ports and may be amended from time to time. If circumstance dictates (emergency), an amendment may be made to these practices and procedures without notice. Under normal conditions, advance notice will be given as far in advance as possible but will not be less than 30 days.

The Practices and Procedures for Public Ports can be found on the Transport Canada website: <http://www.tc.gc.ca/eng/programs/ports-practproc-195.htm>

Public Ports and Public Ports Facilities Regulations

(Under the *Canada Marine Act*)

The *Public Ports and Public Ports Facilities Regulations* can be obtained at the following web address: <http://laws-lois.justice.gc.ca/eng/regulations/sor-2001-154/>

When receiving a shipment of Ammonium Nitrate based fertilizers, they must be handled in accordance with the following regulations:

Cargo, Fumigation and Tackle Regulations

Loading and unloading of bulk ammonium nitrate or ammonium nitrate based fertilizer.

114. (1) No person shall load or unload
 - a. Ammonium nitrate; or

- b. More than 10 000 tonnes of ammonium nitrate based fertilizer.
- (2) At least 24 hours before 150 tonnes or more of ammonium nitrate based fertilizer are to be loaded onto or unloaded from a vessel, its master shall notify the following of the intention to load or unload and the location where it will take place:
 - a. The Department of Transport Marine Safety Office nearest to that location; and
 - b. The harbour master at the port or, if there is no harbour master, the person responsible for the port.
- (3) The notification shall confirm that the fertilizer is considered to be free from the hazard of self-sustaining decomposition when tested in accordance with Section 4 of Appendix 2 to the BC Code.
- (4) The harbour master at the port or, if there is no harbour master, the person responsible for the port at the location where loading or unloading ammonium nitrate based fertilizer will take place shall ensure that information in respect of fire prevention, emergency procedures, storage, cleanliness and separation from contaminants and other dangerous goods is available at the location.

The *Cargo, Fumigation and Tackle Regulations* can be obtained at the following web address: <http://laws-lois.justice.gc.ca/eng/regulations/SOR-2007-128/page-6.html#h-22>

Transportation of Dangerous Goods Regulations, Part 11

11.4 Notification of the Loading or Unloading of Explosives or Ammonium Nitrate
<http://www.tc.gc.ca/eng/tdg/clear-part11-120.htm#sec114>

Transportation of Dangerous Goods Regulations, Part 3

3.11 Keeping Shipping Document Information
<http://www.tc.gc.ca/eng/tdg/clear-part3-317.htm>

A1.2 SAFETY AND SECURITY OF AMMONIUM NITRATE CARGO ARRIVING BY RAIL/ROADS

SPECIFIC REQUIREMENTS:

The security of inbound shipments of ammonium nitrate is critical due to the typical size of the shipment and the potential security risks through the receiving process. In order to minimize these risks, the applicable sections of the following acts and regulations must be reviewed to ensure compliance:

Transportation of Dangerous Goods Act & Regulations

The *Transportation of Dangerous Goods Act and Regulations* is administered by Transport Canada and applies to all shipments of dangerous goods within Canada. The major sections of the regulations are:

- Part 1 – General Provisions
- Part 2 – Classification
- Part 3 - Documentation
- Part 4 - Dangerous Goods Safety Marks
- Part 5 – Means of Containment
- Part 6 – Training
- Part 7 – Emergency Response Assistance Plan
- Part 8 – Accidental Release and Imminent Accidental Release Reporting Requirements
- Part 9 – Road Transportation
- Part 10 – Rail Transportation
- Part 11 – Marine Transportation
- Part 12 - Air Transportation
- Part 13 – Protective Directive
- Part 14 – Permit for Equivalent Level of Safety
- Part 15 – Court Order
- Part 16 – Inspectors

The *Transportation of Dangerous Goods Act and Regulations* can be obtained at the following link: <http://www.tc.gc.ca/eng/tdg/clear-tofc-211.htm>

U.S. Department of Transport

The following links will provide additional insight in to the US regulatory requirements:

How to Comply with Federal Hazardous Materials Regulations:
<http://www.fmcsa.dot.gov/safety-security/hazmat/complyhmregs.htm>

Federal Motor Carrier Safety Administration – Registration and Licencing requirements for US shippers: <http://www.fmcsa.dot.gov/registration-licensing/registration-licensing.htm>

The receiver must keep records of shipments as per Part 3 of the TDG Regulation:

Retaining records as per the Transportation of Dangerous Goods - Part 3

3.11 Keeping Shipping Document Information
<http://www.tc.gc.ca/eng/tdg/clear-part3-317.htm>

A2 PROVIDING TRANSPORT FROM SOURCE VIA RAIL/TRUCK

SPECIFIC REQUIREMENTS:

In order to minimize security risks, companies responsible for transporting ammonium nitrate must be properly scrutinized from a security perspective. The following requirements are the basic elements that must be assessed to validate a transportation company:

Bonding or Pre-approval – The transportation firm has either been bonded or has been pre-approved. A record must be available from the company responsible for the shipment indicating that the transportation firm has been bonded or pre-approved. The pre-approval process must include a review of past references, licensing and certifications.

Proof of Insurance Coverage – The company responsible for the shipment must have written proof of valid insurance coverage for all transportation firms used for transporting ammonium nitrate within the last two years.

Training – The company responsible for the shipment must have written confirmation from all transportation firms used for transporting ammonium nitrate within the last two years indicating that employees have been provided the applicable training required for compliance to the *Transportation of Dangerous Goods Regulations*, the *Marine Transportation Security Act* and the International Maritime Dangerous Goods Code.

Security/ERP Plan – The company responsible for the shipment must have written confirmation from all transportation firms used for transporting ammonium nitrate within the last two years indicating that the transportation firm has developed an emergency response plan (ERP), including security related issues.

It is a mandatory requirement that records of ammonium shipments be kept for a period of two (2) years from the date of shipment as per Part 3 of the *Transportation of Dangerous Goods Regulations*:

3.11 Keeping Shipping Document Information

<http://www.tc.gc.ca/eng/tdg/clear-part3-317.htm>

A3 ACCESS TO PRODUCT DURING SHIPMENT

SPECIFIC REQUIRMENTS:

Security of Ammonium Nitrate in Transit – All truck shipments of ammonium nitrate cannot be left unattended by the driver at any time unless the load is parked in a secured area or the unit/load is properly locked down (i.e. padlocks, fifth wheel locks, etc.). A secured area refers to an area surrounded by two-meter-high chain link fence with the three-strand barb wire at the top. The area must also have lockable gates that are secured when the site is unattended. If storage is not possible in this type of secured area, the access hatches and gates to the load must be secured and locked. It is a recommended best practice that shipments of ammonium nitrate be non-stop to avoid increased security risks.

Securing of Hatches on Trucks and Railcars – All access hatches and gates on trucks and railcars transporting ammonium nitrate must be secured and sealed. The recommended best practice for seals is a cable type seal.

Inspection of Seals – Seals installed on the access hatches and gates are to be inspected and validated after each stop and upon arrival at destination. The inspection at destination must be documented and attached to the bill of lading for the shipment. It is a recommended best practice to have a check off sheet for the transport operator in order that they can document an inspection of seals at each stop.

A4 LOSS OF TAMPERING OF PRODUCT DURING SHIPMENT

SPECIFIC REQUIRMENTS:

The receiving facility has a written procedure that describes the inspection process for shipments of ammonium nitrate. The procedure must contain the following elements:

Verification of Quantities – If possible, it is highly recommended that the actual weight of ammonium nitrate be determined against shipped quantities to determine if there are any shortages. If determining an actual weight is not possible, a visual inspection will suffice to look for empty or short compartments in the load. All shortages must be documented if in excess of historical norms and reported to the seller.

Tampering of Seals – Upon arrival at destination, all tampering of seals noticed during shipment or upon arrival must be documented and reported to the seller.

Note: The nature of the manufacturing and handling process for ammonium nitrate predicates that there will be a minor loss of product mass through the supply chain due to moisture loss, mechanical abrasion, settling and residues. Some industry members have reported the typical expected loss will range from 0.5% – 1.0% of the total weight of product.

These requirements are outlined in the *Explosives Regulations* Part 20 (*Restricted Components*) Section 485:

<http://laws.justice.gc.ca/eng/regulations/SOR-2013-211/page-56.html#h-176>

Explosives Regulations – Full pdf version:

<http://laws-lois.justice.gc.ca/PDF/SOR-2013-211.pdf>

A5 PRODUCT SPILLS DURING TRANSPORT AND UNLOADING

SPECIFIC REQUIRMENTS:

The receiving facility has a written procedure that describes the proper process for containing and cleaning up spills of ammonium nitrate. The procedure must contain:

Containment – The procedure must contain instructions on how to effectively contain a spill to limit contamination of the spilled product and segregate it from nearby water sources. One method to achieve this is to erect a simple wood barricade around the spill until it is cleaned up.

Clean-up – The procedure must contain instructions to employees involved in the clean-up of the proper personal protective equipment to wear during the clean-up and the proper equipment to use for the safely and effectively cleaning up the spill. The procedure must also designate an area where any contaminated product can be segregated and stored until it is disposed of.

Disposal – The procedure must describe the proper method of disposal of contaminated ammonium nitrate. The preferred method is to use the contaminated product as a fertilizer on agricultural land. However, if the contaminant in the ammonium nitrate makes this not agronomically possible, the product will have to be disposed of in accordance with the regulatory requirements.

Reporting – Provincial Environmental Regulations typically require that ammonium nitrate spills that produce more than 50 kgs of contaminated product must be reported to regulatory authorities. It is recommended that specific regulations be consulted to determine individual provincial requirements.

Part 8 of the *Transportation of Dangerous Goods Regulations* requires immediate reporting to provincial authorities and outlines the information required to report:

<http://www.tc.gc.ca/eng/tdg/clear-part8-379.htm>

Environmental Emergency Plan (E2 Plan)

The *Environmental Emergency Regulations, 2019* can be found at:

<https://laws-lois.justice.gc.ca/eng/regulations/SOR-2019-51/index.html>

A6 DELIVERY OF AMMONIUM NITRATE

SPECIFIC REQUIREMENTS:

Authorization for Unloading a Shipment – Verbal or written authorization must be provided to the operator of the transport vehicle/vessel prior to a load of ammonium nitrate being unloaded at destination. This is a sound inventory management practice as well as a good security risk management practice. Authorization must include confirmation of the location of the delivery, the shipper and the exact storage area where the ammonium nitrate is to be deposited at the storage facility. It is a recommended best practice to always have a representative of the receiving organization at the storage site to ensure the ammonium nitrate is placed in the proper location.

Documentation Review Prior to Unload – All documentation related to a shipment of ammonium nitrate must be reviewed prior to authorizing unload by a representative from the receiving company. The receiver must review and verify that the name of the shipper, the quantity of ammonium nitrate, the name of the receiving company and the date of shipment are all accurate and listed on the shipping documentation prior to authorizing unload.

Verification of Arrival of Shipment at Destination – The shipping company must have a process in place to verify that a shipment of ammonium nitrate has arrived at destination within the estimated arrival time. For longer delivery routes (4 hours or greater), it is recommended that check in times be established between the dispatch for the shipping organization and the transport vehicle/vessel.

SECTION B – STORAGE OF AMMONIUM NITRATE

Safe and secure storage of ammonium nitrate is critical due to the amount of product stored and the numerous safety and security risks that may be presented. The following guide provides additional explanation and resources to assist in compliance with the Code of Practice.

B1 PRODUCT STORAGE

Ammonium nitrate storage facilities must be in compliance with the *Ammonium Nitrate Storage Facilities Regulations*, the National Fire Code and/or Provincial Fire Codes, and the National Building Code.

In addition, facilities storing more than 20 tonnes of ammonium nitrate must prepare an Environmental Emergency (E2) Plan as required by *the Environmental Emergency Regulations, 2019* under the *Canadian Environmental Protection Act, 1999*.

The *Environmental Emergency Regulations, 2019* can be found at:
<http://laws-lois.justice.gc.ca/eng/regulations/SOR-2003-307/index.html>

NOTE – The *Environmental Emergency Regulations* have changed with new provisions coming into force on August 24, 2019. The Government of Canada is in the process of revising preparing and revising their guidance materials. The following resources are provided for information purposes but should be used in combination with the new requirements as specified in the *Environmental Emergency Regulations, 2019*.

Resources for preparing this plan can be found:

Frequently asked questions on preparing an E2 Plan:
<https://www.canada.ca/en/environment-climate-change/services/environmental-emergencies-program/regulations/frequently-asked-questions.html>

Environment and Climate Change Canada's Implementation Guide to preparing an E2 Plan: <http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=1FB6D405-1>

An E2 Plan preparation checklist can also be found in Appendix 8 of the implementation guide:
<http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=1FB6D405-1&offset=17&toc=show>

B1.1 STORAGE SECURITY

SPECIFIC REQUIREMENTS:

When reviewing the security at a storage facility, it is always best to start with an assessment of the security risks present. Once these risks are assessed, it is recommended that a facility develop a multilevel security response plan for the facility. This multilevel plan will feature several “layers” of security that must be breached in order to gain access to the ammonium nitrate storage area. An example of a multilevel plan would be the installation of security lighting that is motion activated as the first level and locks on all doors/bin gates as a second level. Best practices in security have always shown a multilevel approach to be very effective in deterring theft. Remember, that the key issue is to put enough security measures in place that provide notification of potential theft (i.e. lighting, alarms, etc.) or barriers to entry (i.e. fences, locks, etc.) that increase the risk of detection for criminals.

Given enough time and resources, criminals can gain access to most buildings. However, thefts of ammonium nitrate usually occur very opportunistically in short periods of time to avoid detection. Putting measures in place that increase the effort required to take ammonium nitrate will usually deter most criminals.

As a minimum, the following security measures must be employed at all manufacturer and/or distributor locations:

Securing of Bin Gates – All bin gates providing access to storage bins containing ammonium nitrate must be locked and secured. It is recommended that the locking device be designed to be resistant to bolt cutters.

NOTE – It is a recommended best practice to provide perimeter security. This may include fencing with lockable gates or other means of perimeter security around bins and/or buildings storing ammonium nitrate. The recommended standard for perimeter security is a 2-meter chain link fence complete with lockable gates and 3-strand barb wire barricade at the top of the fence.

Access Points on Buildings – All doors, windows and other points of access to buildings storing bagged or bulk ammonium nitrate are secured with a high quality lock. It is recommended that the locking device be designed to be resistant to bolt cutters.

Key Control System – A key control system for all locks is employed at the facility. The key control system must have the following features:

- All duplication of keys that provide access to the ammonium nitrate storage areas is done under the strict consent of the facility manager.
- All duplication of keys is to be done by a certified, licensed locksmith who has received permission from the facility manager.
- All keys must be marked as “Do Not Duplicate” and have been stamped with an identification number.
- Assignment of keys is documented and includes, the date of assignment, the ID number of key being assigned, the name of person to whom the key is assigned, the signature of the manager and the signature of the person receiving the key.
- The facility must also have a process in place to retrieve an assigned key once the person leaves the employ of the facility.

Security Lighting – After hours security lighting must be provided to illuminate main points of access to storage buildings or bins. The security lighting must be active from dusk to dawn and can be motion activated.

Signage – The ammonium nitrate storage facility is equipped with signage indicating no unauthorized access as per the *Explosives Regulations* Part 20 (*Restricted Components*) Section 483. The signage must be placed in close proximity to the ammonium nitrate storage area to prevent unauthorized access by customers.

Inspection of Security Measures – Inspections should be conducted weekly to ensure the product is stored securely. Records (checklist) should be kept on file for auditor inspection. See Appendices for sample checklists.

Security Plans are mandated by the *Explosives Regulations* Part 20 (*Restricted Components*) Section 460 (2) and Section 461 (2):

<http://laws.justice.gc.ca/eng/regulations/SOR-2013-211/page-56.html#h-176>

Declaration of the security plans must also be included in the application of inclusion on the product sellers list or component sellers list, provided to the Chief Inspector of Explosives. The application form is provided by the Department of Natural Resources Canada:

<http://www.nrcan.gc.ca/explosives/publications/forms/9939>

Monitored Security System – Sites must have a security system where monitoring is “active” or able to detect changes on a continuous basis. Acceptable systems could include, but are not limited to:

- Passive camera systems monitored by personnel or connected to a recording system;

- Breach- or motion-based alarm systems;
- Active roving guard; or
- Combinations of the above options to form a 24/7 monitoring system.

Additional Resources:

For more information on compliance obligations for product and component sellers:

<http://www.nrcan.gc.ca/explosives/restricted-components/9983>

Explosives Regulations – Full pdf version:

<http://laws-lois.justice.gc.ca/PDF/SOR-2013-211.pdf>

B1.2 STORAGE SAFETY

SPECIFIC REQUIREMENTS:

The storage of ammonium nitrate requires the utmost care and must comply with the storage requirements set out in the *Ammonium Nitrate Storage Facilities Regulations* (<http://laws-lois.justice.gc.ca/eng/regulations/C.R.C., c. 1145/>) as well as the *Explosives Regulations Part 20 (Restricted Components)* (<http://laws.justice.gc.ca/eng/regulations/SOR-2013-211/page-56.html#h-176>) and the National and Provincial Fire and Building Codes.

Explosives Regulations – Full pdf version:

<http://laws-lois.justice.gc.ca/PDF/SOR-2013-211.pdf>

B1.2.1 PHYSICAL STORAGE FACILITY REQUIREMENTS

Facility and Storage Design – For additional information regarding the design and construction of the storage facility and storage bins, please refer to Sections 15-18 inclusive of the *Ammonium Nitrate Storage Facilities Regulations*. The prescribed distances of the facility location from other structures/buildings can be found in Section 12.

Proper ventilation can be defined in the National Building Code, Section 3.3.6.6.

Signage – Section 22 of the *Ammonium Nitrate Storage Facility Regulations* clarifies the signage requirements. The *Ammonium Nitrate Storage Facilities Regulations* requires a sign with the words “Ammonium Nitrate” and “No Smoking or Open Flames” located at the entrance way of the storage facility. The intent of the signage is to identify the presence of ammonium nitrate to first responders in the event of an incident. The signage is intended to identify the storage area only

and should not be placed in customer-only areas that do not provide access to the storage area. For questions or concerns relating to this requirement, please direct them to Transport Canada.

B1.2.2 STORAGE AND HOUSEKEEPING REQUIREMENTS

Proper clearances of stored ammonium nitrate from bin walls, facility ceiling, incompatible products etc. are referred to in Section 25 of the *Ammonium Nitrate Storage Facilities Regulations*.

Internal Combustion Vehicles – Restrictions on the use and storage of internal combustion engine vehicles are defined in Section 23.

Ambient Storage Temperature – The National Fire Code requires that ammonium nitrate not be stored in ambient temperatures exceeding 52°C (125°F). Please also refer to the applicable provincial fire code for specific provincial requirements.

Fire Suppression – A fire suppression system must be available in all storage facilities and must conform to Part 2 of the National Fire Code. The fire suppression system must adhere to good engineering practice and will be specific to the individual storage facility design and quantity stored. Only water should be used to suppress fires involving ammonium nitrate.

Additional guidance can be found in Section 24 of the *Ammonium Nitrate Storage Facilities Regulations*.

Housekeeping – Housekeeping requirements are defined in Section 28.

Weekly Inspections – Weekly inspections of the storage facility should be conducted to ensure that all safe storage requirements are complied with. A sample checklist can be found in the Appendices to facilitate the record keeping for these inspections. Any non-conformances found during the weekly inspection should be corrected immediately or as soon as practically possible and should be recorded and available for inspection. Inspection sheets should be available for verification at the time of audit.

Bear in mind that the safe storage of ammonium nitrate ensures the safety of employees, customers and surrounding communities.

B2 EMERGENCY RESPONSE PLAN

SPECIFIC REQUIREMENTS:

An Emergency Response Plan (ERP) is an effective tool for planning for a response to emergency situations relating to stored product as well as meeting regulatory requirements such as:

- Security Plan requirements under the *Explosives Regulations*;
- Environmental Emergency Plan requirements under the *Environmental Emergency Regulations*;
- Other emergency planning requirements as applicable, such as fire planning under the National Fire Code.

These planning documents can be separate plans or combined into a single ERP that addresses all identified emergency situations.

In order to ensure that major risk events are planned for, including security related incidents; the following requirements must be key features of the ERP:

Written ERP – Every facility that stores 20 tonnes ammonium nitrate by weight must have a written ERP. This plan must address all of the major risk events at the facility including security related incidents. As a minimum requirement, the plan must identify the process to be followed in the event of security breach or environmental event at the facility. This would include contact numbers for the people responsible in the even of a security or environmental issue, contact numbers for local law enforcement and/or emergency responders as applicable and reporting procedures.

Updating of ERP – The ERP has been reviewed and updated within the previous 12 months. Areas to be reviewed may include:

- Updating of names on the contact list
- Updating of contact numbers on the emergency contact list.
- Updating of changes at the storage facility.
- Communication of updated plan to local law enforcement and emergency responders. Documentation of such communication should be kept on file for auditor inspection

Notification of Storage of Ammonium Nitrate – A letter should be sent to local law enforcement informing them of the presence of ammonium nitrate at the storage facility. It is a strongly recommended best practice to invite local law enforcement officials to the storage site in order to review the storage location of

the ammonium nitrate and gain their input to security measures being employed at the facility.

Documentation of such communication with local authorities should be kept on file and presented at the time of auditing.

Explosives Regulations – Full pdf version:

<https://laws-lois.justice.gc.ca/eng/regulations/SOR-2013-211/index.html>

Sections 460 (2) and 461 (2) outline the requirements of the Security Plan:

<http://laws.justice.gc.ca/eng/regulations/SOR-2013-211/page-56.html#h-176>

Natural Resources Canada provides guidance on preparing this plan:

<http://www.nrcan.gc.ca/explosives/13971>

Environmental Emergency Regulations, 2019:

<http://laws-lois.justice.gc.ca/eng/regulations/SOR-2003-307/index.html>

Resources for preparing this plan can be found:

NOTE – The *Environmental Emergency Regulations* have changed with new provisions coming into force on August 24, 2019. The Government of Canada is in the process of revising preparing and revising their guidance materials. The following resources are provided for information purposes but should be used in combination with the new requirements as specified in the *Environmental Emergency Regulations, 2019*.

Frequently asked questions on preparing an E2 Plan can be found at the following:

<https://www.canada.ca/en/environment-climate-change/services/environmental-emergencies-program/regulations/frequently-asked-questions.html>

Environment and Climate Change Canada's Implementation Guide to preparing an E2 Plan can be found at the following web address: <http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=1FB6D405-1>

An E2 Plan preparation checklist can also be found in Appendix 8 of the implementation guide:

<http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=1FB6D405-1&offset=17&toc=show>

B3 ACCESS BY ON-SITE PERSONNEL

SPECIFIC REQUIREMENTS:

One element of a well planned and executed Security Plan is a process to ensure that all employees and contractors at the storage facility have been screened to prevent possible security risks. It is critical that this screening process not infringe on an individual's personal rights and freedoms. Therefore, it is good practice to ensure authorization is received from an individual prior to any review of their past references.

The screening process must include:

Past Work References for Existing Employees – All employees working at the ammonium nitrate storage facility must provide valid past work references. This is not required if the employee has been working at the facility for a period greater than five years.

Past Work References on New Hires – As a condition of employment, a potential new hire must disclose any previous criminal charges and provide valid past work references. As a matter of due diligence, it is critical that all past work references be contacted to verify the work history of the new hire and any potential security related risks.

Past Work References for Contractors – All contractors must provide documentation indicating past work history. This is not required if the contractor has established work history with the facility for a period equal to or greater than five years.

Written Authorization for Contractors – All contractors at the ammonium nitrate storage facility have written authorization from the manager of the facility including the date of authorization, the names of the contractors and a description of the work to be performed.

CAUTION: Refusal to hire a person based on a disclosure of pardoned or provincial offences may constitute illegal discrimination. Employers are cautioned to ensure that their hiring practices comply with their obligations under human rights and employment law in their region.

B4 LOSS OF PRODUCT DURING STORAGE

SPECIFIC REQUIRMENTS:

It is good inventory management practice, as well as good security risk management, to regularly reconcile inventories of ammonium nitrate. This will quickly identify any loss of product above historical norms in order that the potential cause(s) can be investigated. In addition, it is good practice to make regular visual inspections at the facility to identify potential issues of tampering.

The facility must have a written policy and procedure that contains the following elements:

Inventory Audit Reconciliation – The facility must have a written process describing the annual inventory audit reconciliation for all ammonium nitrate bagged and bulk storage facilities. For bulk storage, the recommended best practice is a weighed audit executed at periods of low inventory levels. Where this is not possible, an estimate of inventory levels will suffice.

Reconciliation and Reporting – There must be a reporting process for any shortages in excess of historical norms. The reporting process must indicate the amount of the shortage and an investigation into the potential cause.

Weekly Inspection – A documented, weekly inspection must be conducted for all ammonium nitrate storage areas to identify any tampering or loss of product. If any tampering and/or product loss is noted, it must be reported immediately to company officials. Tampering or product loss must also be immediately reported to the local police and within 24 hours to the Chief Inspector of Explosives as per Section 488 of the *Explosives Regulations Part 20 (Restricted Components)*: <http://laws.justice.gc.ca/eng/regulations/SOR-2013-211/page-56.html#h-176>

Explosives Regulation – Full pdf version:
<http://laws-lois.justice.gc.ca/PDF/SOR-2013-211.pdf>

SECTION C – OUTBOUND SHIPMENTS/PRODUCT SALES

This section provides more detailed description of compliance requirements for Section C of the Code. This section of the guide will also apply to inbound shipments to retail.

C1 SECURITY AROUND INDIVIDUALS OR COMPANY RESPONSIBLE FOR PROVIDING TRANSPORTATION

C1.1 TRANSPORTATION COMPANY SECURITY

SPECIFIC REQUIREMENTS:

In order to minimize security risks, companies responsible for transporting ammonium nitrate must be properly scrutinized from a security perspective. The following requirements are the basic elements that must be assessed to validate a transportation company:

Bonding or Pre-approval – The transportation firm has either been bonded or has been pre-approved. A record must be available from the manufacturer or distributor indicating that the transportation firm has been bonded or pre-approved. The pre-approval process must include a review of past references, licensing and certifications.

Proof of Insurance Coverage – The seller must have written proof of valid insurance coverage for all transportation firms used for transporting ammonium nitrate within the last two years.

Training – The seller must have written confirmation from all transportation firms used for transporting ammonium nitrate within the last two years indicating that employees have been provided the applicable training required for compliance with the *Transportation of Dangerous Goods Regulations*.

Photo Identification – All transport operators will have valid photo identification.

Security/Emergency Response Plan – The seller must have written confirmation from all transportation firms used for transporting ammonium nitrate within the last two years indicating that the transportation firm has developed an emergency response plan, including security related issues.

Record Keeping – It is a mandatory requirement that records of ammonium nitrate shipments be kept for a period of two (2) years from the date of shipment.

C1.2 DELIVERY RECEIPT ACKNOWLEDGEMENT

The seller must obtain written acknowledgement from the buyer that the shipment has been delivered as per the agreed upon terms. Documentation of delivery receipt should be kept on file along with sales records and available for verification during the audit. A dated and signed delivery invoice could be sufficient as a documented delivery receipt.

C2 ACCESS TO PRODUCT DURING SHIPMENT

SPECIFIC REQUIREMENTS:

Security of Ammonium Nitrate in Transit – All truck shipments of ammonium nitrate cannot be left unattended by the driver at any time unless the load is parked in a secured area or the unit/load is properly locked down (i.e. padlocks, fifth wheel locks, etc.). A secured area refers to an area surrounded by two meter high chain link fence with the three strand barb wire at the top. The area must also have lockable gates that are secured when the site is unattended. If storage is not possible in this type of secured area, the access hatches and gates to the load must be secured and locked. It is a recommended best practice that shipments of ammonium nitrate be non-stop to avoid increased security risks.

Securing of Hatches on Trucks, Railcars or other transport equipment – All access hatches and gates on trucks and railcars transporting ammonium nitrate must be secured and sealed. The recommended best practice for seals is the cable type seal.

Inspection of Seals – Seals installed on the access hatches and gates are to be inspected and validated after each stop and upon arrival at destination. The inspection at destination must be documented and attached to the bill of lading for the shipment. It is a recommended best practice to have a check off sheet for the transport operator in order that they can document an inspection of seals at each stop.

Reporting – Any evidence of tampering or product loss must be reported immediately to the local police and to the Chief Inspector of Explosives within 24 hours of the discovery. This is a requirement of Section 488 of the *Explosives Regulations* (Part 20 – Restricted Components).

Chief Inspector of Explosives
Explosives Regulatory Division
Natural Resources Canada
580 Booth Street, 10th floor
Ottawa, ON, K1A 0G1
Tel (613) 948-5200
Fax (613) 948-5195
Email ERDmms@nrcan.gc.ca
Web www.nrcan.gc.ca/explosives

More information on reporting incidents can be found at:

<http://www.nrcan.gc.ca/explosives/authorization-classification/16586>

Forms used for reporting under the *Explosives Regulations* can be found at:

<http://www.nrcan.gc.ca/explosives/publications/forms/9939>

End-user vehicles – If the transport distance is short enough to allow for a non-stop trip, it is possible that the product will be transported from the retail facility by the end-user themselves in a specialized vehicle such as a spreader with an auger. In this case, all dispensing parts should be double checked to ensure they are in a closed position to prevent the accidental release of product during transport.

Additional Resources:

Explosives Regulations – NRCan website:

<http://laws.justice.gc.ca/eng/regulations/SOR-2013-211/>

Full pdf version:

<http://laws-lois.justice.gc.ca/PDF/SOR-2013-211.pdf>

C3 PRODUCT SPILLS DURING TRANSPORT AND LOADING

SPECIFIC REQUIREMENTS:

The selling facility has a written procedure that describes the proper process for containing and cleaning up spills of ammonium nitrate. The procedure must contain:

Containment – The procedure must contain instructions on how to effectively contain a spill to limit contamination of the spilled product and segregate it from nearby water sources. One method to achieve this is to erect a simple wood barricade around the spill until it is cleaned up.

Clean-up – The procedure must contain instructions to employees involved in the clean-up of the proper personal protective equipment to wear during the clean-up and the proper equipment to use for the safe and effective cleaning up the spill. The procedure must also designate an area where any contaminated product can be segregated and stored until it is disposed of.

Disposal – The procedure must describe the proper method of disposal of contaminated ammonium nitrate. The preferred method is to use the contaminated product as a fertilizer on an agricultural operation. However, if the contaminant in the ammonium nitrate makes this not agronomically possible, the product will have to be disposed of in accordance with the regulatory requirements.

Reporting – Provincial Environmental Regulations typically require that ammonium nitrate spills that produce more than 50 kgs of contaminated product must be reported to regulatory authorities. It is recommended that specific regulations be consulted to determine individual provincial requirements.

Part 8 of the *Transportation of Dangerous Goods Regulations* requires immediate reporting to provincial authorities and outlines the information required to report:

<http://www.tc.gc.ca/eng/tdg/clear-part8-379.htm>

Environmental Emergency Plan (E2 Plan)

<http://laws-lois.justice.gc.ca/eng/regulations/SOR-2003-307/index.html>

The Implementation Guide to preparing an E2 Plan can be found at the following web address: <http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=1FB6D405-1>

A preparation checklist can also be found in Appendix 8 of the E2 Plan Implementation Guide:

<http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=1FB6D405-1&offset=17&toc=show>

C4 VALIDATION OF CUSTOMERS

SPECIFIC REQUIRMENTS:

For larger customers, direct to end use shipments have become an increasingly frequent occurrence. These shipments are higher risk from a security perspective since they are often coordinated by retailers and the manufacturer/distributor has limited knowledge of the customer from a security perspective. In order to ensure ammonium nitrate is being sold to end users with a legitimate agronomic need, the facility must have a policy that contains the following elements for validating an end use customer prior to sale:

Coordination/Authorization from Retail – The responsibility for coordinating the sale and delivery of the shipment resides with the retail facility operator. They have a greater knowledge of the local customers and can more easily validate the customer. Prior to issuing an authorization for shipment to the manufacturer or distributor, the retailer must:

- Validate the customer through the provision of proper identification such as:
 - Pesticide License
 - Canadian Wheat Board Number
 - Producteur Agricole Number
 - Valid picture identification
- Validate that the size of the order of ammonium nitrate is in accordance with the size of the end user's agronomic needs.
- Ensure that customer is a farmer and is known in the community.
- Report any suspicious purchase attempts to the local police detachment.

Note: Any refusal of sale must be reported within 24 hours after the refusal to the local police force and the Chief Inspector of Explosives:

Chief Inspector of Explosives
Explosives Regulatory Division
Natural Resources Canada
580 Booth Street, 10th floor
Ottawa, ON, K1A 0G1
Tel (613) 948-5200
Fax (613) 948-5195
Email ERDmms@nrcan.gc.ca
Web www.nrcan.gc.ca/explosives

Authorization for Delivery – Once the customer has been validated by the retail facility operator, a written authorization must be provided to the seller for the shipment that provides:

- The name of end user.
- The quantity of the shipment.
- The defined location for the delivery.
- The date of the order.
- Contact number for the retail location and the end user.

Valid identification is listed in the *Explosives Regulations – Part 20 (Restricted Components)* Section 490:

<http://laws.justice.gc.ca/eng/regulations/SOR-2013-211/page-56.html#h-176>

Additional Resources:

Incident Reporting:

<http://www.nrcan.gc.ca/explosives/authorization-classification/16586>

Forms for reporting under the *Explosives Regulations*:

<http://www.nrcan.gc.ca/explosives/publications/forms/9939>

C5 TRACEABILITY OF SALES

SPECIFIC REQUIRMENTS:

Tracking past sales of ammonium nitrate is important in order to provide an audit trail for investigations into criminal misuse of the product. At a minimum, the following information must be contained on each sales receipt:

- Customer's name
- Address or legal land description
- Customer's phone number
- Identification – type and number of document verified
- Carrier details – operator information
- Dates and location of delivery
- Quantity of ammonium nitrate – format of delivery (bagged or bulk product)
- Description of use
- If delivery is made at time of purchase, a receipt signed by purchaser containing the information listed above

All sales records for ammonium nitrate must be kept for period of two years. The records can be kept in a paper or electronic form.

NOTE: All information collected respecting the sale of ammonium nitrate must be kept under lock and key or password protection in the case of electronic records, and may be accessed only by persons who require such access in the course of their employment. The collection, use and protection of the information above must also comply with the obligations under the *Personal Information Protection and Electronic Documents Act* (PIPEDA).

PIPEDA legal information:

http://www.priv.gc.ca/leg_c/leg_c_p_e.asp

Substantially Similar Provincial Legislation:

http://www.priv.gc.ca/leg_c/legislation/ss_index_e.asp

C6 CRITERIA SPECIFIC TO END-USERS

SPECIFIC REQUIRMENTS:

It is imperative that all end-users (i.e. farmers) have the right information to ensure the safe and secure use and storage of ammonium nitrate. All storage and handling must follow the same regulations as those identified in the AN Code. Therefore it is essential that end-users be educated on safe and secure storage and handling practices for ammonium nitrate at sale by the agri-retailer.

Post-season storage of ammonium nitrate should be avoided if possible. Although it is the preferred course of action, it is understood that not all retailers can accept unused/unopened product should it returned to the retail facility. Therefore, it is critical that retail facilities work with their customers to provide product in quantities that fulfil the agronomic need and avoid excess, thereby also evading the need for post-season storage by the end-user.

Please see the Appendices for sample hand-out materials.

SECTION D – REGULATORY REPORTING

D1 ANNUAL INVENTORY REPORTING

The *Explosives Regulations Part 20 (Restricted Components)* requires an annual inventory report due March 31 for the previous calendar year (Section 487). A copy of this report should be available for verification during the audit.

The annual inventory report can be found on the NRCan website at: <http://www.nrcan.gc.ca/explosives/publications/forms/9939>

The annual inventory report is submitted to:

Chief Inspector of Explosives
Explosives Regulatory Division
Natural Resources Canada
580 Booth Street, 10th floor
Ottawa, ON, K1A 0G1
Tel (613) 948-5200
Fax (613) 948-5195
Email ERDmms@nrcan.gc.ca
Web www.nrcan.gc.ca/explosives

Additional resources:

Explosives Regulations – NRCan website:
<http://laws.justice.gc.ca/eng/regulations/SOR-2013-211/page-56.html#h-176>

Full pdf version:
<http://laws-lois.justice.gc.ca/PDF/SOR-2013-211.pdf>

Additional information on compliance with Part 20 (Restricted Components) of the *Explosives Regulations*:
<http://www.nrcan.gc.ca/explosives/restricted-components/9981>

SECTION E – TRAINING

E1 E-LEARNING

Fertilizer Canada developed an online course to help employers train their employees on the safe and secure storage and handling of ammonium nitrate. The course can be found on the Fertilizer Canada website: <http://fertilizercanada.ca/safety-security/elearning/ammonium-nitrate-training/>

This course should be completed annually.

E2 TRANSPORTATION OF DANGEROUS GOODS TRAINING

It is mandatory for all employees handling dangerous goods be transportation of dangerous goods trained. Certification must be renewed every 3 years.

E3 WHMIS/(M)SDS TRAINING

Federal and provincial labour codes require WHMIS/(M)SDS training for all employees handling controlled products. Please verify with local government on the specific requirements.

SECTION F – INSURANCE

F1 INSURANCE REQUIREMENTS

Each operation that stores and/or handles ammonium nitrate requires insurance documentation that indicates current liability protection covering owned automobile (vehicle) liability, non-owned automobile (vehicle) liability and comprehensive general liability (CGL), with each of these policies being written with minimum policy limits of:

Coverage Type	Minimum Policy Coverage (per loss occurrence)	Maximum Deductible	Minimum Policy Aggregate
Owned Automobile	\$5,000,000	\$25,000	\$5,000,000
Non-owned automobile	\$5,000,000	\$25,000	\$5,000,000
CGL	\$5,000,000	\$25,000	\$5,000,000

The operation also requires insurance documents that indicate environmental impairment liability (EIL) protection meeting one of the following:

(A)

EIL Insurance	Minimum Policy Coverage (per loss occurrence)	Maximum Deductible	Minimum Policy Aggregate
On-site	\$2,000,000	\$25,000	\$2,000,000
Off-site	\$2,000,000	\$25,000	\$2,000,000

OR

(B)

EIL Insurance	Minimum Policy Coverage (per loss occurrence)	Maximum Deductible	Minimum Policy Aggregate
Combined on-site and off-site coverage inclusively	\$2,000,000	\$25,000	\$2,000,000

Note: Any endorsement or other policy wording that directly or indirectly selects fertilizers as specifically excluded from coverage, or that selects fertilizers for diminished coverage, is NOT acceptable.

Auditors will confirm compliance through examination of the Confirmation of Coverage Form. A Confirmation of Coverage Form must be fully completed for each operation. No changes are permitted to the form. The form must be signed by either your insurance broker or insurer.

F2 ENVIRONMENTAL IMPAIRMENT LIABILITY (EIL) INSURANCE

Insurance coverage can be obtained through a variety of different policies whose framework will be shaped by the particular risks present at a given operation. For instance, it is a common practice for EIL insurance coverage to be obtained through an “all-encompassing” policy which is applicable to multiple fertilizer products stored at a given site. This type of coverage is acceptable so long as it is inclusive of ammonium nitrate without exception and meets the minimum policy limits **specifically for ammonium nitrate** as outlined in Section F of the AN Code. When an operation stores ammonium nitrate along with other agricultural chemicals, it is likely that higher coverage limits will be required.

F3 DEDUCTIBLE LIMITS GREATER THAN \$25,000

Deductible limits in excess of \$25,000 must be of a reimbursable type and a Reimbursable Deductible Acknowledgement must be completed in addition to Page 1 of the Confirmation of Coverage Form. This can be found on Page 2 of the Confirmation of Coverage Form.

F4 ALTERNATIVE INSURANCE ARRANGEMENTS

Fertilizer Canada recognizes that some large and established operators maintain sophisticated insurance programs that are not traditional insurance arrangements and may fall under the spectrum of self-insurance. These programs may still provide equivalent or superior coverage to the Code insurance requirements for certain ammonium nitrate operations and qualify as equivalent under the Code. To clarify, in this case “self-insurance” does not equate to “no insurance”, but refers to structured and appropriately-funded risk retention programs or other similar robust self-insurance alternatives. In order to meet the requirements for certification under the AN Code, an operator’s alternative insurance arrangements must meet the following threshold criteria:

- a) Any alternative insurance arrangement over \$25,000 must meet the coverage minimums as specified above and in the AN Code. If an

insurance arrangement contains both insured and alternative components, the sum of coverage must meet or exceed the prescribed coverage minimums; and

- b) The insurance arrangements must NOT contain any endorsement or other policy wording that directly or indirectly selects fertilizers as specifically excluded from coverage, or that selects fertilizers for diminished coverage.

As a further compliance obligation, large organizations that choose to pursue alternative insurance arrangements must arrange for a licenced insurer or underwriter to review the applicant's insurance arrangements and alternative insurance program against the required limits under the AN Code and execute a Statement of Equivalent Coverage attached as Page 3 of the Confirmation of Coverage Form. The reviewing insurer or underwriter must certify that in its opinion the operator's alternative insurance program provides equivalent coverage to the minimum insurance requirements as set out herein.

Finally, any operator who deploys an alternative insurance scheme in accordance with this Section F must agree to indemnify, defend and hold harmless Fertilizer Canada and its employees, officers, directors, agents and affiliates for any claims, costs (including legal costs), damages, losses and expenses arising out of or resulting from any deficiency in the operator's self-insurance scheme.

For greater clarity, the Statement of Equivalent Coverage must be completed in addition to Page 1 of the Confirmation of Coverage Form.

IMPORTANT NOTES:

Fertilizer Canada expects that any insurance policy or program entered into by an operator shall meet the requirements under Protocol F of the AN Code regardless of any agreements allowing self-insurance elements. Fertilizer Canada reserves the right to request additional information and/or documentation regarding an operator's insurance policy or program.

Operators who deploy alternative insurance programs pursuant to this Section F acknowledge and agree that Fertilizer Canada's decision to allow alternative insurance arrangements is provisional and can be revoked at any time without notice and without recourse.

AMMONIUM NITRATE CODE OF PRACTICE CONFIRMATION OF COVERAGE FORM-PROTOCOL F

To be provided to Authorized Auditor as part of compliance documentation and a copy forwarded with the audit to the program office.

1. Insurer A		Insurer B		Insurer C	
Name of Insurer:		Name of Insurer:		Name of Insurer:	
Address of Insurer:		Address of Insurer:		Address of Insurer:	
Postal Code:		Postal Code:		Postal Code:	
Tel:		Tel:		Tel:	
2. Company			3. Agent/Broker		
Name of Insured:			Name of Agent/Broker:		
Address of Insured:		Postal Code:	Address of Agent/Broker:		
Covered Location:			Postal Code:		
Policy Number:	Certificate Number:	Policy Period:		Tel:	
AN Compliance #:					

Coverage type	Insurer	\$ Coverage	\$ Deductible	\$ Policy Aggregate
Environmental Impairment Liability (on site) <small>(Note: a combined on-site/off-site EIL policy with a minimum \$2 million combined coverage, \$25,000 max deductible and minimum \$2 million policy aggregate is also permitted)</small>	(A, B or C)	Minimum \$2,000,000	Max \$25,000	Minimum \$2,000,000/occurrence
Environmental Impairment Liability (off site) <small>(to include third party injury and property damage and off premises clean up)</small>	(A, B or C)	Minimum \$2,000,000	Max \$25,000	Minimum \$2,000,000/occurrence
Owned Automobile Liability <small>(applicable to any and all vehicles that are owned, or leased or operated by the facility in connection with the facility's business)</small>	(A, B or C)	Minimum \$5,000,000	Max \$25,000	Minimum \$5,000,000/ occurrence
Non-Owned Automobile Liability	(A, B or C)	Minimum \$5,000,000	Max \$25,000	Minimum \$5,000,000/ occurrence
Comprehensive General Liability	(A, B or C)	Minimum \$5,000,000	Max \$25,000	Minimum \$5,000,000/ occurrence

The undersigned warrants that he or she has reviewed the Ammonium Nitrate Code of Practice insurance protocol; that the coverage represented above is in conformity with the required coverage limits and permitted deductibles.

It is further understood and agreed that the undersigned undertakes to give fifteen (15) "days" notice to the Ammonium Nitrate Code Program Manager if the policy should be cancelled or otherwise terminated prior to the specified policy expiration date; or if the policy should fail to be renewed on a basis that ensures continued compliance with the insurance protocol; or if any other circumstance should occur which prejudices or invalidates a representation of compliance previously given.

Name of Authorized Representative of Insurer:	
Signature of Authorized Representative of	Date:

AMMONIUM NITRATE CODE OF PRACTICE CONFIRMATION OF COVERAGE FORM-PROTOCOL F

Ammonium nitrate facilities require insurance coverage as outlined in Protocol F of the Agricultural Ammonium Nitrate Code of Practice and Section F of the Agricultural Ammonium Nitrate Code of Practice Implementation Guide. The Standard Confirmation of Coverage Form is designed for use by operators who that have insurance meeting the required levels of coverage, limits and deductibles.

This form must be completed fully and executed by an authorized insurance representative. A separate form is required for each insured location. Any endorsement or other policy wording that directly or indirectly selects fertilizers as specifically excluded from coverage, or that selects fertilizers for reduced coverage, is NOT acceptable.

Reimbursable Deductible Acknowledgement

Deductible amounts in excess of \$25,000 must be of a reimbursable nature. With a reimbursable deductible, the insurer shall be responsible for paying all losses and loss expenses. The insured shall promptly reimburse the insurer for advancing any element of loss falling within the deductible.

For reimbursable deductibles:	
(a) Insurance representative must complete the Confirmation of Coverage Form, recording the insurance arrangement amounts.	
(b) Insurance representative must complete the reimbursable deductible section immediately below.	
(c) Dealer must sign acknowledging reporting of all incidents.	
The undersigned warrants that the deductibles recorded on page one of the Confirmation of Coverage Form are of a reimbursable nature (as described above).	
Name of Authorized Representative of Insurer:	
Signature of Authorized Representative of Insurer:	Date:
The insured agrees to report all pollution events promptly to the insurer(s) without regard for the size of the deductible.	
Name of Authorized Representative of Insured Premises:	
Signature of Authorized Representative Insured Premises:	Date:

Alternative Insurance – Statement of Equivalent Coverage

Any alternative insurance arrangement by an operator which incorporates agreements such as self-insured risk retentions or other similar insurance program alternatives which may fall under the umbrella of self-insurance must still adhere to the principal requirements of Fertilizer Canada’s Agricultural Ammonium Nitrate Code of Practice.

For alternative insurance arrangements:
(a) Insurance representative must complete the Confirmation of Coverage Form, recording the insurance arrangement amounts.
(b) Insurance representative must review any alternative insurance arrangements and complete the section below.
(c) Operator must sign acknowledging reporting of all incidents.

<p><u>Certification of Alternative Insurance Program</u></p> <p>The undersigned warrants that the alternative insurance arrangements recorded on page one of the Confirmation of Coverage Form meet the following criteria:</p> <ul style="list-style-type: none">a) Any alternative insurance arrangements over \$25,000 has been reviewed by the undersigned Insurer and is confirmed to meet the minimum coverage limits as specified in the Agricultural Ammonium Nitrate Code of Practice. If the insurance arrangement contains both insured and alternative components, the sum of coverage meets the specified limits.b) The insurance arrangements do NOT contain any endorsement or other policy wording that directly or indirectly selects fertilizers as specifically excluded from coverage, or that selects fertilizers for reduced coverage; andc) The review of the insured and alternative components was conducted by a licensed insurer. <p>I have reviewed the insurance program of _____. In my opinion, this program provides at least equivalent coverage to the minimum insurance requirements as set out in the Agricultural Ammonium Nitrate Code of Practice.</p> <p>Name of Authorized Representative of Insurer: _____</p> <p>Signature of Authorized Representative of Insurer: _____</p> <p>Date: _____</p>

The insured agrees to report all pollution losses promptly to the insurer(s) without regard for the insurance arrangement.

<p>Indemnity</p> <p>I, _____ agree to indemnify, defend and hold harmless Fertilizer Canada and its employees, officers, directors, agents and affiliates for any claims, costs (including legal costs), damages, losses and expenses arising out of or resulting from any deficiency in the self-insurance program described herein.</p>
Name of Authorized Representative of Insured Premises: _____
Signature of Authorized Representative of Insured Premises: _____
Date: _____

SUSPICIOUS INCIDENT REPORTING (SIR) SYSTEM

As part of its national security mandate, the Royal Canadian Mounted Police (RCMP) is working with Canadian critical infrastructure (CI) owners and operators to prevent, detect, investigate and deter criminal threats to CI. The RCMP has launched the Suspicious Incident Reporting (SIR) system which is designed to collect information on suspicious incidents that may be related to criminality associated to critical infrastructure. SIR allows the private sector stakeholder to report suspicious incidents online by submitting a SIR report from their own work terminal. Suspicious incidents within SIR includes behavior and activities which, when viewed in context of the totality of available circumstances/intelligence, may have a possible nexus to national security. As such, these incidents may be indicators of terrorist pre-incident planning or other serious criminal activity.

What makes the SIR program unique? The RCMP recognizes that the sharing of criminal intelligence with sector owners and operators is a must. If there is a threat to critical infrastructure, it is imperative that sector stakeholders be briefed accordingly so they can implement appropriate contingency and business continuity plans. Providing intelligence up front or well in advance provides the private sector the opportunity to develop contingency and emergency response plans in accordance with the appropriate threat intelligence. The SIR system is among the first RCMP applications designed to engage non-law enforcement users and access may be given to a secure RCMP critical infrastructure library.

The SIR system is more than a reporting system—it is a mechanism that allows the RCMP to develop operational contacts within the private sector enhancing the resiliency of Canada's CI, support criminal investigations, and maintain continuous dialogue with internal and external stakeholders.

SIR does not replace calls for criminal activity or emergencies to local police of jurisdiction. Neither does SIR replace the mandatory reporting to the Chief of Explosives in the cases of loss, tampering or suspicious attempts to acquire AN.

The Program Hotline: 1-800-387-0020